

FUEL FILTERS WITH WATER TRAPS

STANDARD HEAD - THREADS = 1/2" SAE
NG = AFTER MARKET

METRIC HEAD - THREADS = 14 x 1.5



STANDARD
5836B325

METRIC
5836B280-NG

GLASS BOWL



STANDARD
5836B710-NG

METRIC
5838B185-NG

ALUMINIUM
BOWL



STANDARD
5836B100-NG

METRIC
5836B540-NG



METRIC

AD7046-0
UNIVERSAL

DOUBLE UNITS




STANDARD
5845B150-NG

METRIC
5863B035-NG

CAV TYPE FUEL FILTERWATER TRAP

PARTS BREAKDOWN
(Flow Rate = 10 G P/Hr - 45 L/Hr)



1.	7111-353B	X1
7.	5936-58S	X1
8.	7023-99W	X1
9.	5936-58T	X2
10.	7111-312	X2
18.	5855-30	X1
19.	NW1-16Z1	X1
20.	7111-860	X1
28.	5855-30G	X1
29.	7111-843	X1
29A.	7111-853	X1
30.	7111-296	X1
57.	7111-679	X1
60.	7111-429	X1
61.	7111-439	X1
113.	7111-740	X1



7111-541

Flat Aluminum Filter base
with stem

ALSO AVAILABLE :
METRIC HEAD UNITS
DOUBLE HEAD UNITS
HEADS WITH BUILT IN PRIMERS

REPLACEMENT BOWLS GLASS OR ALUMINIUM



STANDARD GLASS
7111-429



DEEP GLASS
7111-403



ALUMINIUM
7111-429M

FUEL FILTERS

HORIZONTAL MOUNT ——— VERTICAL MOUNT

METRIC THREADS

14 x 1.5



= UNIVERSAL FLOW
AD7025-2



= UNIVERSAL FLOW
AD7028-2



PRIMER VALVE KIT
AD7026-1



**SPIN ON FILTER UNITS
AVAILABLE WITH
ALL MAJOR BRANDS
OF FILTERS**

**LUBERFINER
DONALDSON
BALDWIN**

SEDIMENTORS

(DEPRESSURIZER CONE — NO FILTER)



ALUMINIUM BODY
STANDARD GLASS BOWL
THREADS 1/2" SAE

PART NO. **5836B249-NG**

(ALUMINIUM BODY PART NO = (**PI8665**))

ALUMINIUM BODY DEEP
GLASS BOWL FLAT BASE

P/N(**7111-541**) THREADS
1/2" SAE

PART NO. **5836B250-NG**



POLYCARBONATE "SEE THRU" BOWL

PART NO. **5864000**

Flows L - R THREADS 14 X 1.5

PART NO. **5864001**

Flows L - R THREADS 1/2" SAE

PART NO. **5864002**

Flows R - L THREADS 1/2" SAE

PART NO. **5864003**

Flows R - L THREADS 14x1.5

(REPLACEMENT BOWL +
CONE PART NO. (**7111-693**))

NOTE: ALL COMPONENTS AVAILABLE INDIVIDUALLY IF REQUIRED

SMALL WATER TRAPS



**GLASS BOWL
FILTER GAUZE LOCATED IN HEAD**

PART NO. 7950001
THREAD 1/2" SAE

**GLASS BOWL
PLASTIC FILTER GAUZE IN BOWL
THREADS 1/2" SAE**

PART NO. PI8617-1



BOWL PART NO.
26630



BOWL SEAL PART NO
SF305C

DAHL FILTRATION

**PREMIUM FUEL/WATER FILTRATION SYSTEM BORN IN THE
USA—U.S COASTGUARD ACCEPTED, TESTED FOR FIRE EN-
DURANCE, VIBRATION FATIGUE AND THERMAL SHOCK**



IMPORTANT: CHECK WITH ENGINE MANUFACTURERS FILTER REQUIREMENTS

MODEL	APPLICATION	FLOW RATE	ELEMENT	MICRON
65	SMALL ENGINES	75.7 LPH	66	2
			66-W	10
100	ENGINES UP TO 200 H.P	151 LPH	101	2
			101-W	10
150	MEDIUM SIZE ENGINE UP TO 400 H.P	302 LPH	151	2
			151-W	10
200	MEDIUM TO LARGE ENGINES	454 LPH	201	2
			201-W	10
			201-30	30
300	LARGER ENGINES	680 LPH	301	2
			301-W	10

**FOR FULL TECHNICAL SPECIFICATIONS, MULTIPLE UNITS AND AVAILABILITY
OF SERVICE PARTS CONTACT OUR SALES TEAM FOR ASSISTANCE**

AIR OIL & FUEL

STOCKIST OF

BALDWIN OIL AND FUEL FILTERS



DONALDSON AIR, OIL, FUEL & HYDRAULIC FILTERS

